

Pelvic Floor Exercises

Physiotherapy Patient Information

What are your pelvic floor muscles?


The pelvic floor muscles form a supportive sling at the base of the pelvis. They run from the pubic bone to your tailbone, the coccyx. They support your bladder, vagina and anus. They play a vital role in childbirth, sexual function and bladder and bowel function.

What are the symptoms of a weak pelvic floor?

- A tendency to leak urine when you cough, laugh or sneeze (called stress urinary incontinence)
- An urgent need to visit the toilet and leaking before you get there or if you do not go (called urge incontinence)
- An urgent need to visit the toilet to empty your bowels and leaking faeces before you get there (called urge faecal incontinence)
- Aching or dragging sensation in your vagina
- A lack of sensation during sexual intercourse

How to help your bladder:

- Drink more water: 1.5 to 2 litres per day
- Reduce or eliminate caffeine, sugary drinks and fruit juices
- Do not empty your bladder until you are sure you need to go. When you do go take your time. You may need to slowly rock or lean forward whilst sitting on the toilet
- Actively take steps to lose weight if you are overweight. This will reduce the strain on your pelvic floor muscles
- Avoid constipation and straining. This stretches the muscles and lessens the supportive action of the muscles





How to do your pelvic floor exercises:

There are two types of exercise you need to do: – endurance and speed exercises. The best way to learn them is in the following positions, the easiest first:

- 1. Lying with your knees bent
- 2. Sitting on a chair or toilet. Feet flat, legs slightly apart and sit up, and lean forwards from your hips.
- 3. Standing
- 4. During everyday movement

Finding your pelvic floor muscles:

It is not always easy to find and squeeze just your pelvic floor muscles. Your therapist will teach you how to do this. Ensure you do not:

- Hold your breath
- Pull in your tummy muscles too much
- Clench your buttocks together
- Squeeze your knees together

1. Endurance exercises

Endurance pelvic floor exercises aim to help you support your pelvic organs and hold a full bladder.

Start with two relaxed breaths:

- ✓ Breathe in through your nose for 3-4 seconds keeping your pelvic floor relaxed.
- ✓ As you breathe out through your mouth, lift and squeeze your back passage
 as if you are stopping passing wind. Then lift and squeeze the front of the
 pelvic floor, as if you were also stopping the flow of urine.

✓	Hold for _	secs. <i>F</i>	Relax at the	end o	f your b	reath
Pe	rform	repetitions	: increase as	s able	, up to 1	10

2. Speed exercises

Strength and speed pelvic floor exercises aim to help your pelvic floor react quickly to sudden changes in pressure, for example, when you cough or sneeze.

Start	with	two	re	laxed	brea	aths:
Otart	VVILII	LVV	10	Iancu	$\nu_1 \nu_2$	มนาง.

√ (luickly squeeze and lift your pelvic floor muscles then release completely
W	hilst you continue to breathe
Perfo	rm repetition: increase as able, up to 10



When to do your pelvic floor exercises

Aim for 3 times a day. It may take several months of regular exercise to regain the strength in your pelvic floor muscles. You will need to continue to do these exercises once a day in the long term to ensure your problems do not return. Incorporate them as part of your daily routine, for example - after you have emptied your bladder (not before or during emptying), when you wash your hands or clean your teeth.

How to perform the 'Knack'

The 'Knack' is when you tighten your pelvic floor muscles <u>before</u> you cough or sneeze, lift, carry or stand up. Your therapist will advise you on whether this will be helpful for you.

Please note that these exercises are a guide and an individualised assessment and exercise programme is sometimes required.

If you have any queries, please do not hesitate to call Physiotherapy reception on (01225) 821241. They will be able to direct you to your Physiotherapist.

Alternatively, you can email ruh-tr.therapiesoutpatientadmin@nhs.net
To access video links and further support, please visit the Physiotherapy webpage: https://ruh.nhs.uk/patients/services/physiotherapy/



Royal United Hospitals Bath NHS Foundation Trust Combe Park, Bath BA1 3NG (01225) 428331 www.ruh.nhs.uk

Please contact the Patient Advice and Liaison Service (PALS) if you require this leaflet in a different format, or would like to feedback your experience of the hospital. Email ruh-tr.pals@nhs.net or telephone 01225 825656 / 826319